

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	118	((ROBERT) near2 (PAYNE)).INV.	USPAT	ADJ	ON	2008/02/07 16:16
L2	3	((RICHARD) near2 (PRENTICE)).INV.	US-PGPUB; USPAT	ADJ	ON	2008/02/07 16:16
L3	49878	"texas instruments"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:17
L6	106	(voting or vot\$4) with component.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:19
L7	1	(current near3 sample) and (current near3 edge) and (previous near3 center).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:20
L10	9	(late near3 node) and (reference).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:21
L11	35	(early near3 node) and (reference).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:21
L12	457	(complement near3 node) and (logical or logic\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:22

EAST Search History

L13	132	(complement near3 edge) and (logical or logic\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:22
L14	26	(complement near3 center) and (logical or logic\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:22
L15	100	(complement near3 previous) and (logical or logic\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:23
L16	16730	(clock near3 recovery) or "CDR". clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:23
L17	25075	sample and (center and edge) and data.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:24
L18	12	(voting or vot\$4) and early and late and (serial near3 data).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:25
L19	11	(data near3 clock) and (transition near3 clock) and (average near3 (operation or operat\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:27

EAST Search History

L20	337	(analyzer or analyz\$4) and (average near3 operat\$4) and comparison .clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:29
L21	4	(analyzer or analyz\$4) and (data near3 clock) and (transition near3 clock) and (average near3 (operation or operat\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:30
L22	11081	(375/354-361,363,373-376).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:31
L23	1859	(327/141).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:31
L24	5052	(370/503,506,509).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:32
L25	536	I16 and I3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:33
L26	1	I12 and I13 and I15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:33

EAST Search History

L27	76	I16 and I23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:33
L28	0	I20 and I24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:33
L29	1251	I16 and I17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:34
L30	97	I29 and I25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:34
L31	2	I16 and I17 and I20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:34
L32	20	I22 and I23 and I24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:35
L33	1	I6 and I3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:36

EAST Search History

L34	2	l6 and l16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:36
L36	1114	(voting or vot\$4) with component	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:45
L37	500	(early near3 node) and reference	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:45
L38	1	(current near3 sample) and (current near3 edge) and (previous near3 center)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:46
L39	39127	(clock near3 recovery) or "CDR"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:47
L40	38	(data near3 clock) and (transition near3 clock) and (average near3 operation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:48
L41	24	L36 and l39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:48

EAST Search History

L42	500	(early near3 node) and (reference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:49
L43	910	(complement near3 node) and (logical or logic\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:49
L44	263	(complement near3 edge) and (logical or logic\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:49
L45	57	(complement near3 center) and (logical or logic\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:49
L46	292	(complement near3 previous) and (logical or logic\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:49
L47	1	I43 and I44 and I45 and I46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:50
L48	1703	I39 and I22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:50

EAST Search History

L49	7	I48 and I37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:50
L50	24	I36 and I39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:51
L51	0	I24 and I36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:51
L52	0	I23 and I36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:51

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Thu, 7 Feb 2008, 4:43:02 PM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

[Run Search](#) [Reset](#)

Recent Search Queries

		Results
#1	((payne robert)<in>au) <and> (pyr >= 1950 <and> pyr <= 2004)	0
#2	((payne r.)<in>au) <and> (pyr >= 1950 <and> pyr <= 2004)	40
#3	((prentice richard)<in>au) <and> (pyr >= 1950 <and> pyr <= 2004)	0
#4	((prentice r.)<in>au) <and> (pyr >= 1950 <and> pyr <= 2004)	1
#5	((voting and early and late and previous)<in>metadata) <and> (pyr >= 1950 <and> pyr <= 2004)	0
#6	((clock recovery and early and late)<in>metadata) <and> (pyr >= 1950 <and> pyr <= 2004)	4

[Clear Session History](#)

EAST Search History

L20	337	(analyzer or analyz\$4) and (average near3 operat\$4) and comparison .clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:29
L21	4	(analyzer or analyz\$4) and (data near3 clock) and (transition near3 clock) and (average near3 (operation or operat\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:30
L22	11081	(375/354-361,363,373-376).cccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:31
L23	1859	(327/141).cccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:31
L24	5052	(370/503,506,509).cccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:32
L25	536	I16 and I3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:33
L26	1	I12 and I13 and I15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:33

EAST Search History

L27	76	I16 and I23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:33
L28	0	I20 and I24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:33
L29	1251	I16 and I17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:34
L30	97	I29 and I25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:34
L31	2	I16 and I17 and I20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:34
L32	20	I22 and I23 and I24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:35
L33	1	I6 and I3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:36

EAST Search History

L34	2	I6 and I16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:36
-----	---	------------	--	-----	----	------------------

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	118	((ROBERT) near2 (PAYNE)).INV.	USPAT	ADJ	ON	2008/02/07 16:16
L2	3	((RICHARD) near2 (PRENTICE)).INV.	US-PGPUB; USPAT	ADJ	ON	2008/02/07 16:16
L3	49878	"texas instruments"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:17
L6	106	(voting or vot\$4) with component.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:19
L7	1	(current near3 sample) and (current near3 edge) and (previous near3 center).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:20
L10	9	(late near3 node) and (reference).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:21
L11	35	(early near3 node) and (reference).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:21
L12	457	(complement near3 node) and (logical or logic\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:22

EAST Search History

L13	132	(complement near3 edge) and (logical or logic\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:22
L14	26	(complement near3 center) and (logical or logic\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:22
L15	100	(complement near3 previous) and (logical or logic\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:23
L16	16730	(clock near3 recovery) or "CDR".clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:23
L17	25075	sample and (center and edge) and data.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:24
L18	12	(voting or vot\$4) and early and late and (serial near3 data).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:25
L19	11	(data near3 clock) and (transition near3 clock) and (average near3 (operation or operat\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 16:27